

A balanced range of modern, heavy contract colours for any application



BREEAM<sup>®</sup> 'A+' Rated

heavy contract









Panther, 812 (LRV - L19.77 V2.94)



London Stone, 820 (LRV - L37.87 V10.04)





Blazer, 210 (LRV - L25.30 V4.52)



Cactus, 535 Special 1,000m2 Min order (LRV - L41.03 V11.9)



Bark, 108 (LRV - L37.52 V9.82)



Liberty, 612 (LRV - L20.55 V3.13)



Electric, 625 (LRV - L27.04 V5.12)



Denim, 616 (LRV - L26.53 V4.95)



Skylight, 640 (LRV - L33.14 V7.65)



Nutmeg, 154 Special 1,000m2 Min order (LRV - L53.32 V21.34)

Racing Green, 505 (LRV - L26.40 V4.89)



Olive, 540 Special 1,000m2 Min order (LRV - L35.26 V8.63)



Grasshopper, 550 (LRV - L44.79 V14.41)



Vanilla, 170 Special 1,000m2 Min order (LRV - L65.22 V34.33)



Golden Stone, 150 (LRV - L51.60 V19.81)



Mustard, 120 (LRV - L55.90 V23.83)





INSTALLATION - Sub floors should be clean, dry and flat and prepared in accordance with BS5325. Timber floors should be covered with plywood or other appropriate sheet materials. For tiles use F Ball tackifier F41 or Laybond 79. Tiles may be laid tessellated or broadloom. Tiles should be allowed to condition for a minimum of 24 hours at the expected temperature and humidity prevailing when the building is in use. Always use seam sealer if an impermeable finish is required. Further installation information is available from the Paragon Sales Office.

COLOUR - For technical reasons, as with all textile materials, it may not be possible to colour match from different batches. Orders requiring colour match should be placed at the same time. Production may therefore show variations to the sample card.

MAINTENANCE - It is recommended that a maintenance schedule be initiated from the date of installation to achieve maximum life expectancy of the product. Regular vacuum cleaning with a twin motored upright vacuum cleaner is essential. All spillages and stains should be attended to immediately. For detailed information, please consult the Paragon cleaning and maintenance guide. It is imperative that all internal carpets are well protected from outside soiling and moisture by the use of barrier matting such as MatWorks, also available from Paragon.

Suitable for office, commercial, retail, schools, colleges, and leisure

Heavy Contract 100% Solution Dyed Nylon

10 year Warranty


Available in 20 designed colourways

500 gsm **Pile Yarn Weight** 

Up to 65% of the total product is recycled content

## BREEAM<sup>®</sup> 'A+' Rated





T. +44 (0) 1709 763 839
F. +44 (0) 1709 763 813
E. sales@paragon-carpets.co.uk
W. www.paragon-carpets.co.uk



